

From: Victoria Binetti/R3/USEPA/US
Sent: 11/28/2011 5:06:07 PM

To: Michael Kulik/R3/USEPA/US@EPA
CC: dandrea.michael@epa.gov; David Sternberg/R3/USEPA/US@EPA; Janice Donlon/R3/USEPA/US@EPA; Jennie Saxe/R3/USEPA/US@EPA; Jon Capacasa/R3/USEPA/US@EPA; KarenD Johnson/R3/USEPA/US@EPA; Shawn Garvin/R3/USEPA/US@EPA
Subject: Re: Fw: Questions for story related to Dimock water supply

Karen did speak with David, to indicate that we are reviewing data.

Just a correction--it's not quite correct to say that installation of treatment systems is complete. Cabot has installed treatment in about 7 homes (among other requirements), but about a dozen have not agreed to have the treatment installed. Cabot has been providing an alternate water supply to those homes. PADEP has determined that Cabot has met its obligations under the Consent Order and Settlement Agreement, and is permitting Cabot to stop delivery of that water as of November 30th.

--Vicky

Victoria P. Binetti
Associate Director, Drinking Water & Source Water Protection
Water Protection Division
US Environmental Protection Agency, Region III

Phone: 215-814-5757
Fax: 215-814-2302
Cell: 215-514-8857

From: Michael Kulik/R3/USEPA/US
To: Shawn Garvin/R3/USEPA/US@EPA
Cc: Dandrea Michael <dandrea.michael@epa.gov>, David Sternberg/R3/USEPA/US@EPA, Janice Donlon/R3/USEPA/US@EPA, Capacasa/R3/USEPA/US@EPA, KarenD Johnson/R3/USEPA/US@EPA, Victoria Binetti/R3/USEPA/US@EPA
Date: 11/28/2011 02:24 PM
Subject: Re: Fw: Questions for story related to Dimock water supply

We are aware that Cabot agreed to supply water until treatment systems were installed, which apparently has been completed. David is checking with Karen Johnson for more background and to find out if we have an opinion on this.
--Mick

From: Shawn Garvin/R3/USEPA/US
To: Michael Kulik/R3/USEPA/US@EPA
Cc: David Sternberg/R3/USEPA/US@EPA, Dandrea Michael <dandrea.michael@epa.gov>, Jennie Saxe/R3/USEPA/US@EPA, \ Johnson/R3/USEPA/US@EPA, Jon Capacasa/R3/USEPA/US@EPA
Date: 11/28/2011 01:47 PM
Subject: Fw: Questions for story related to Dimock water supply
Sent by: Janice Donlon

FYI - please advise.

Thanks.
Janice

----- Forwarded by Janice Donlon/R3/USEPA/US on 11/28/2011 01:46 PM -----

From: "Sandy Long" <sandylong@riverreporter.com>

To: Shawn Garvin/R3/USEPA/US@EPA
Date: 11/28/2011 11:46 AM
Subject: Questions for story related to Dimock water supply

Hi Shawn,

I'm working on a story related to the Nov. 30th cutoff of water being supplied to residents of Dimock PA and was told that the EPA is expected to be weighing in on this matter. I also noticed that you were copied on a letter from the NRDC to Secretary Krancer, so I am contacting you to see if indeed EPA is becoming involved in this matter, and if so, what is being done at this point.

I can be reached at the number below, or by response to this email. My deadline is tomorrow (Tuesday) morning.

Thanks for your assistance.
Sandy Long

The River Reporter
93 Erie Avenue, PO Box 150
Narrowsburg, NY 12764
845-252-7414, ext. 24
845-252-3298 Fax
www.riverreporter.com